

Serial No. 09/763,246

Examiner: Hassan A. Phillips

Title: METHOD FOR USING A WHOLE DIGIT CODE TO ASSIGN AN ADDRESS TO A COMPUTER

Page 2 of 4

REMARKS

Reconsideration is requested in view of the following remarks. Claims 1, 6 and 8-17 remain pending in the application.

Claim Rejections – 35 USC § 103

Claims 1, 6 and 8-17 are rejected under 35 USC 103(a) as being unpatentable over Low et al. (US 6,243,443) in view of Kelly (US 6,594,254). Applicants respectfully traverse this rejection.

Claim 1 requires assigning to an online computer a unique full digital code address (FDCA). Claim 1 also requires an online number that includes the digital number of an established network site, which number is specified by the country or area. IP addresses and domain names are conventionally used to identify a computer that is connected to the Internet, rather than a content resource. An IP address is easy for machines to identify but difficult for humans to remember. With the expansion of the network, a domain name for identifying an online computer has also become more and more complex and sometimes difficult to remember. See paragraphs [0004] and [0005], for example, on page 2 of the specification. The invention recited in claim 1 provides a simple and alternative manner to browse the internet, which is easy for a user to remember and administer, while allowing each assigned address of an online computer to be unique. See paragraph [0009], for example, on page 3 of the specification. In addition, the method recited in claim 1 allows assigning not only a fixed static address to each online computer, but also a dynamic address to any temporary online computer. See one of the embodiments in paragraph [0022], for example, on page 7 of the specification.

More specifically, for example, instead of assigning an online computer with a specific IP address a conventional domain name, e.g., www.aaa.com, a full digital code address, e.g., 00161212345671, including country code 001, area code 612, telephone number 1234567, and category number 1, may be assigned to replace the conventional domain name.

Low et al. do not disclose or suggest a method of assigning to an online computer a unique FDCA. Instead, Low et al. teaches a method of making content resources

Serial No.: 09/763,246

Examiner: Hassan A. Phillips

Title: METHOD FOR USING A WHOLE DIGIT CODE TO ASSIGN AN ADDRESS TO A COMPUTER

Page 3 of 4

available to a telephone network user. Low et al. disclose assigning a content code as an identification number to a content resource. The content codes do not correspond to online computers as recited in claim 1. Rather, a content code in Low et al. corresponds to a content resource, e.g., text message that can be converted to speech by a text-to-voice converter resource, a digitized speech file, etc. See Low et al., col. 10, lines 25-36. A content code in Low et al. is not a unique digital code address, e.g., an online address of a fixed static online computer, or a dynamic address to any temporary online computer, to be assigned to each online computer, as required by claim 1.

More specifically, the URI of a content resource of a server discussed at page 2 of the rejection as well as that disclosed at Low et al. col. 11, line 62 to col. 12, line 3 is "Universal Resource Identifier." It is an identifier for positioning an online resource, e.g., an HTML document, image, video, program, rather than an online computer as required by claim 1. Generally, a URI includes 1) a mechanism for nominating the resource, 2) a host with which the resource resides, and 3) the name of the resource presented in the form of a path. For example,

http://soft.yesky.com/lesson/148/2623648.shtml is a domain name, wherein "http://" indicates that the mechanism for nominating is according to HTML 4.0 specification, "soft.yesky.com" indicates the host, and "/lesson/148/2623648.shtml" indicates the path for accessing the content resource. Therefore, the Low et al. content code, which is to be converted to a URI that is used to identify a content resource, is distinct from the full digital code address required by claim 1, which is used to identify an online computer.

Moreover, the Low et al. content code is converted at a service switch point (SSP) to a URI according to a predetermined convention between the SSP and the Public Switched Telephone Network (PSTN) user before the request of the content code being processed on the internet. This is completely distinct from the invention required by claim 1, which is a full digital code address that is to identify a computer on the internet.

Further, Low et al. fail to teach or suggest an online number that comprises the digital number of an established network site as recited in claim 1. Low et al. merely disclose a content code that is locatable at a corresponding online computer. It is not necessary that the locatable content code disclosed by Lower et al. includes a digital

Serial No.: 08/763,246

Examiner: Hassan A. Phillips

Title: METHOD FOR USING A WHOLE DIGIT CODE TO ASSIGN AN ADDRESS TO A COMPUTER

Page 4 of 4

number of an established network site, as required in claim 1. On the contrary, the invention of claim 1 requires the exact digital number of an established network site to form the online number portion of a FDCA, which makes a FDCA easy to remember.

In addition, Low et al. in view of Kelly fail to teach or suggest a FDCA that includes an online number that is specified by the country or area. The invention disclosed by Kelly relates to a method for translating a domain name representing a telephone number into a network protocol address of a gateway server. Kelly includes a telephone number domain name that inherently includes a country code or an area code of a telephone number. Kelly, col. 3, lines 56-57. However, the country code or area code is not used to specify the digital number of an established network site, as required by claim 1. Instead, the country code or area code of the telephone number appears to be used to identify an end user of public switched telephone networks (PSTN) and thus help locate an appropriate gateway server.

The cited references therefore cannot be combined to arrive at the invention of claim, without impermissibly using the teachings of Applicants' claimed invention. For at least these reasons, claim 1 is patentable over Low et al. in view of Kelly. Claims 6, 7 and 8-17 are also patentable since they depend ultimately from claim 1 that is allowable.

In view of the above, favorable reconsideration in the form of a notice of allowance is respectfully requested. Any questions regarding this communication can be directed to the undersigned attorney, Michael D. Schumann, Reg. No. 30,422, at (612) 455-3803.

Respectfully submitted,



HAMRE, SCHUMANN, MUELLER &
LARSON, P.C.
P.O. Box 2902-0902
Minneapolis, MN 55402-0902
(612) 455-3800

By:


Michael D. Schumann
Reg. No. 30,422

Dated: February 5, 2007

MDS:DNH:cy